

<u>UPPER GASTROINTESTINAL ENDOSCOPY +</u> <u>Placement of BRAVO capsule</u>

A/Prof Benedict Devereaux
Dr Patrick Walsh
Dr Tom Zhou
HOSPITAL Holy Spirit Northside, 627 Rode Rd, Chermside

How are you to prepare?

You are to consume <u>NO FOOD</u> from midnight the day of your procedure. If your appointment is later in the day you may have <u>CLEAR FLUIDS ONLY</u> (eg. Water, lemonade, apple juice, black tea and coffee, etc.) until <u>four hours</u> prior to your procedure. You should then be Nil By Mouth (i.e. no food, fluids, water, smoking) until after your procedure. You should therefore be <u>nil by mouth from</u>

Medications

You should cease any Proton-Pump Inhibitors or PPIs (eg. Nexium, Somac, Pariet, etc.) <u>2 weeks prior</u> to your procedure and you should remain off them during the study.

You can take antacids (eg. Zantac, Gaviscon, etc.) in the lead up to the procedure but again should not take these during the study.

Continue taking all medications as usual unless otherwise instructed. If your procedure is early in the morning you can:

- Take medications as usual prior to your nil by mouth time
- After your nil by mouth time take medications with a small sip of water (i.e. approx. 20ml)
- Bring the medication with you to hospital to have after your procedure (unless you take heart or blood pressure medication, in which case you should take this as normal with a small sip of water)

If you take blood thinning medication or are diabetic please inform our rooms as soon as possible. You may receive a call from our practice nurse to discuss this further.

Important post-procedure care instructions

You will remain in the endoscopy unit for up to 3 hours until the main effects of the sedation wear off and you have had something to eat/drink. You may feel slightly bloated due to the air that has been introduced through the endoscope. This will quickly pass. You should avoid alcohol for 12 hours after your procedure.

-For legal reasons you MUST NOT drive a vehicle or operate machinery for the remainder of the day following intravenous sedation. This is at the discretion of your anaesthetist. Failure to do so carries the same implications as drink driving.

-You MUST have a <u>responsible adult escort you home</u> (i.e. you should not go to work) <u>and stay with</u> you overnight after the procedure. Also you should not care for dependent persons without responsible help for at least 12 hours after your procedure.

IF THESE REQUIREMENTS ARE NOT MET YOUR PROCEDURE MAY BE CANCELLED. These requirements are compulsory for all hospitals and all anaesthetists.

-You are also advised to be very careful in simple household tasks in the 12 hours after receiving sedation. Your coordination may be impaired for some time.

If you develop any pain, fever, vomiting or blood loss after the procedure, you should contact your doctor immediately or the hospital where your procedure took place. Alternately, after hours, you can contact our after hours service on 3261 9570.

As a duty of care to our patients and to meet Medicare requirements we must have a current referral from your referring GP or specialist on file <u>prior</u> to your procedure.

This can be faxed or emailed to us at <u>reception3@ddq.net.au</u>.

(Reminder: GP referrals only stay current for 12 months from their first use and specialist referrals are only current for 3 months from their first use. Medicare requires that you have a current referral on file for each appointment.)

Special Considerations

If you are diabetic, take any blood thinning medication, are over 160kg or have any major health concerns please inform our practice nurse as soon as possible. Please inform us if you have had any previous endoscopic examination or any adverse reactions to sedatives or other medications.

What is an Upper GI Endoscopy?

Endoscopy involves the use of a flexible video instrument (endoscope) to examine the upper intestinal tract including the oesophagus, stomach and duodenum. The procedure is commonly undertaken if your doctor suspects that you have inflammation, ulceration or other abnormality of the oesophagus, stomach or duodenum. The endoscope is passed over the back of your tongue into the upper gastrointestinal tract. In addition to visualizing the inner lining of the oesophagus, stomach and duodenum, a number of interventions can be performed. These include taking biopsies (small tissue samples) for subsequent microscopic examination, dilatation (stretching) of narrowing's of the upper gut (usually the oesophagus), removal of swallowed objects or treatment of bleeding vessels or ulcers.

What will happen?

After checking into the hospital and completing your admission you will be seen by a pre-admissions nurse for a brief health check. You will need to remove your dentures. Please inform the staff if you have any loose teeth or crowns. The anaesthetist and procedural doctor will talk to you prior to the procedure.

At the beginning of the procedure you will be asked to lie on your left side and a guard will be placed in your mouth to protect your teeth. You will be given a sedative by injection in a vein before the procedure begins and usually you will not remember anything about the actual examination. The procedure will take between 10 and 20 minutes and you will be sleepy for about half an hour afterwards.

Safety and Risks

Most surveys report complications in less that 1 in 1000 examinations. A number of rare side effects can occur with any medical procedure. If you wish to have full details of RARE complications, you should discuss further with your doctor/practice nurse before the procedure.

Gastrointestinal endoscopy is usually simple and safe. Damage to the oesophagus at the time of examination is extremely rare unless there is pre-existing oesophageal disease. Other potential complications include bleeding, infection and perforation (hole/tear) in the wall of the upper gut. The risk is greater if a therapeutic intervention is performed eg dilatation of a narrowing or control of a bleeding vessel or ulcer.

Rarely patients may have a reaction to the sedation. Complications of sedation are uncommon. Rarely, serious adverse events can occur. Eg. Heart or lung complications or aspiration (fluid coming from the stomach into the lungs).

In the unlikely event a complication occurs, your doctor will take all due care to ensure your safety. This may include consultation with other specialists (e.g. surgeon) and additional testing (radiology & blood tests) for which there *may* be additional fees.

See the information brochure from Medtronic for specific information on the BRAVO capsule placement.

Results

You will need to see your specialist for a follow up appointment to go through the results.

EXPLANATION OF FEES

As a service to our patients, we provide the following estimate of the likely medical costs you will be required to pay for your procedure. Please note that this is an <u>estimate only</u> of the fees charged. You will be liable for any costs not covered by Medicare or your health fund.

As with any medical procedure, if unforeseen circumstances should arise during the procedure it may be necessary to arrange additional medical services, entailing further cost to you, not covered by this estimate.

THERE ARE SEVERAL SEPERATE ACCOUNTS INVOLVED WHEN HAVING YOUR PROCEDURE:

DIGESTIVE DISEASES QLD ACCOUNT (DDQ)

DDQ has an agreement with participating health funds in the 'no gap' cover scheme. If you have private health insurance, please contact your health fund to check you have the adequate level of cover for your upcoming procedure.

Provided we have a **current referral** on file, we will submit the account directly to your health fund and Medicare (i.e. you will not receive an account).

If you do not have private health insurance you will receive the account in the mail <u>AFTER</u> your procedure. DDQ's account for the procedure is <u>separate</u> to the hospital charge. Payment can be made by cash, cheque, Eftpos or credit card (Credit card payment accepted via telephone). Prompt payment is appreciated and your Medicare claim will be processed at the time of payment.

The BRAVO capsule and associated equipment required attracts an **out of pocket expense of \$650**. This is NOT claimable through Medicare as this does not have an item number attached to it (as it is for disposable items). An account for this will be sent to you for payment and this MUST be paid prior to your procedure.

HOSPITAL ACCOUNT

Prior to your procedure it is necessary for you to register your admission with the hospital. The hospital will inform you of any payment required on the day of your procedure.

- If you have private health insurance you can ring your fund to check your hospital excess.
- If you do not have private health insurance, your hospital account is an out of pocket cost not covered by Medicare. You will need to contact the hospital you are attending for information on the fee.

ANAESTHETIST ACCOUNT

An anaesthetist will be present during your procedure and will provide the necessary sedation. At DDQ we use a number of different anaesthetists, dependant on the list.

- If you are covered with a private health fund, DDQ's agreement with our regular anaesthetists ensures this fee is also 'no gapped' and you will not receive any out of pocket fee.
- If you do not have private health insurance, the fees and payment policy will depend on the anaesthetist. DDQ can give you the contact details of your anaesthetist to obtain further information from their staff.

If you have any further enquiries regarding the payment of your account, the item number/s or the fees involved, please do not hesitate to telephone the office on (07) 3861 4866.

Item	Item Number	DDQ Fee	Medicare Pays	Health Fund Pays	
Endoscopy	30473	\$230.00	\$132.85	DDQ participates in	
Placement of Bravo Capsule	11810	If you do no	t have health	the no gap	

about this fee. – see above		insurance please enquire	cover scheme
-----------------------------	--	--------------------------	--------------